

be required to make good any loss, but shall not participate in any profit accruing from such resale. The amount due by such defaulter shall be recovered from him as a revenue demand.

*Note.*—For the convenience of the purchasers the quarter deposit or the whole of the sale amount will be received and acknowledged by the officer conducting the sale, if tendered on the spot at the time of sale.

4. The whole quantity purchased by each purchaser must be paid within thirty days from the date of sale, failing which the earnest and deposit moneys already paid in shall be forfeited to Government and the timber not paid for shall be resold. Moneys due may be paid into the treasury of the taluk in which the depot is situated, but into no other except in cases where the purchasers are permitted to pay into any other Government Treasury in accordance with the chellans issued to him.

5. No timber shall be delivered to any purchaser until it has been paid for in full.

6. No timber can be removed from the depot till a permit to remove timber signed by the Forest Officer in charge of the depot shall have been obtained.

7. Timber paid for may be removed at any time within thirty days from the date of sale or within such further period not exceeding ninety days from the date of sale as may be fixed by the Forest Officer as the circumstances of each case may require, without payment of rent; but if left in the depot longer than ninety days from date of sale, such timber will remain at the risk of the purchaser, and further shall be charged with depot rent at Rs. 6-4-0 per cent, per annum, on the sale amount from the date of sale. If the timber be not removed within six months from the date of sale, the same shall, after ten days' notice to the purchaser, be sold by public auction for the recovery of rent and costs, etc.

8. Timber logs should be duly measured by the purchaser prior to removal from the depot; complaints regarding short measurements will not be entertained after the removal.

9. Interest at Rs. 6½ per cent per annum is leviable from the date of sale on payments overdue.

M. A. VARADACHAR,

*District Forest Officer.*

## ENGINEERING DEPARTMENT.

### BANGALORE DIVISION.

*Dated 4th April 1919.*

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 12 noon of Monday the 21st April 1919 for constructing a katcha building to provide additional accommodation for the Collegiate High School at Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1919.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore between the hours of 11 A.M. and 4 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The average monthly progress should also be stated. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

*N. B.*—Specific rates should be quoted for each and every item but not such remarks as per market rates, etc.

4. Each tender must be accompanied by a deposit of rupees five hundred only in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing a katcha building to provide additional accommodation for the Collegiate High School at Bangalore," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Constructing Katcha building to provide additional accommodation for the Collegiate High School at Bangalore.

| Items of work                                                    | Per      | Rate | Quantity | Cost |
|------------------------------------------------------------------|----------|------|----------|------|
| 1. Earthwork excavation                                          | C. yd.   |      | 119      |      |
| 2. Burnt stone in clay including bund slabs 6' apart             | C. ft.   |      | 4,533    |      |
| 3. Burnt brick in clay superstructure                            |          |      | 4,349    |      |
| 4. Do in chunam                                                  |          |      | 1,293    |      |
| 5. Burnt stone slabs 6" thick roughly dressed                    | S. ft.   |      | 799      |      |
| 6. Chunam plastering                                             | Sqr.     |      | 112.5    |      |
| 7. Iron work for trusses                                         | Cwt.     |      | 1.51     |      |
| 8. Roofing with 1st class Mangalore tiles, etc., complete        | Sqr.     |      | 57.00    |      |
| 9. Teakwood work wrought and put up with wood oiling             | C. ft.   |      | 350.0    |      |
| 10. Ridge tiles set in mortar                                    | R. ft.   |      | 223      |      |
| 11. Teakwood-battened doors with hinges, etc., complete          | S. ft.   |      | 532      |      |
| 12. Teakwood windows battened with iron bars, etc., complete     |          |      | 408      |      |
| 13. Zinc sheet for valleys 3' wide                               |          |      | 228      |      |
| 14. 1" thick teak planks for valleys                             |          |      | 228      |      |
| 15. Binding walls over gables                                    | R. ft.   |      | 96       |      |
| 16. White and colourwashing                                      | Sqr.     |      | 112.07   |      |
| 17. Earthwork filling basement tamping, etc., complete           | C. yd.   |      | 31       |      |
| 18. Flooring with Cuddappa slabs on sand bed and cement pointing | Sqr.     |      | 32.40    |      |
| 19. Chocolate painting to doors and windows                      |          |      | 18.80    |      |
| 20. Pointing with mortar basement                                |          |      | 6.33     |      |
| 21. Sundry unforeseen jobs during execution                      | Lump sum |      |          |      |

C. VIJAYARANGAM NAIDU,  
Executive Engineer.

### MYSORE DIVISION.

Notification dated 7th April 1919.

The public are hereby informed that as the travellers' bungalow at Chinkurli, Krishnarajpete Taluk is under repairs it is not fit for occupation till the end of the current month.

A. PUTTASWAMIAI,  
Executive Engineer.

### SHIMOGA DIVISION.

Notice dated —th April 1919.

The following amounts are outstanding in the accounts of Shimoga Division. Persons claiming to be the heir or heirs of the parties in whose name the amounts are outstanding should apply to the undersigned before 30th April 1919. If no claims is preferred within the 30th April 1919, the amounts will be credited to Government.

(1) Amount of cancelled cheque No. 47, dated 29th June 1915, in favour of T. Krishna for annual repair of Shimoga-Mangalore road, Rs. 236-3-1.

(2) Amount of final bill No. 2, dated 30th June 1915 of D. M. Achudanandan Pillay for constructing a bridge across Thunga river near Honnali, kept under deposits as the whereabouts of the party is not known. Rs. 162-2-6.

(3) Hoova, watchman of the Inspection Lodge at Yedur. Rs. 3-0-0.

K. NARAYANA IYENGAR,  
Offg. Executive Engineer.

### IRRIGATION DIVISION.

Dated 27th March 1919.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Irrigation Division, up to 26th April 1919, 5 P.M. for diverting the Krishnambudi stream, Hiriyur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1920.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office, Irrigation Division, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms, which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees three hundred in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for diverting the Krishnambudi stream, Hiriyur Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office, in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

1. Estimate of channel with 40 feet width to lead off the feeder and diverting it to the valley.

| Serial No. | Items of work                                                                               | Per    | Rate      | Quantity  | Cost | Total |
|------------|---------------------------------------------------------------------------------------------|--------|-----------|-----------|------|-------|
|            |                                                                                             |        | Rs. a. p. |           |      |       |
| 1          | Removing silt from halla                                                                    | C. yd. |           | 8,444     |      |       |
| 2          | Earthwork excavating ordinary soil                                                          | "      |           | 27,206    |      |       |
| 3          | Do gravelly soil                                                                            | "      |           | 4,815     |      |       |
| 4          | Do soft rock                                                                                | "      |           | 19,262    |      |       |
| 5          | Picking earth for seat of cross bund                                                        | S. yd. |           | 54,444    |      |       |
| 6          | Carting earth from deviation, cutting 2 furlongs lead and forming cross bund, etc.          | C. yd. |           | 1,411     |      |       |
| 7          | Forming bund on lower side with excavated earth up to C. S. 10.                             | "      |           | 25,000    |      |       |
| 8          | Constructing revetment with rough stone for cross bund.                                     | "      |           | 125       |      |       |
| 9          | Providing dry stone vents at right bund for local drainage.                                 | No.    |           | 310       |      |       |
| 10         | Constructing an aqueduct in stone masonry or pipe syphon to take sluice water across halla. | "      |           | L. S. Rs. |      |       |
| 11         | Earthwork to bund from C. S. 10 to end with watering and tamping.                           | C. yd. |           | 20,730    |      |       |
| 12         | Spoil bank rear half of lower side and upper bund                                           | "      |           | 18,845    |      |       |

2. Estimate for filling up scoured portion at the breach of the Krishnambudi bund up to 5 feet height.

|   |                                                                           |        |  |       |  |  |
|---|---------------------------------------------------------------------------|--------|--|-------|--|--|
| 1 | Earthwork ordinary soil excavating and forming bank watering and tamping. | C. yd. |  | 677   |  |  |
| 2 | Rough stone work dry                                                      | "      |  | 852   |  |  |
| 3 | Grouting with surki concrete and motar                                    | Sqr.   |  | 33.00 |  |  |
| 4 | Earthwork excavating ordinary soil                                        | C. yd. |  | 3,313 |  |  |
| 5 | Rough stone jelly drains 3' x 2' in section                               | R. ft. |  | 245   |  |  |

S. A. RAMASWAMI IYER.

Executive Engineer.

## MISCELLANEOUS DEPARTMENTS.

### EXCISE DEPARTMENT.

Notice, No. 434-18, dated 4th April 1919.

It is hereby notified for the information of the public that yellow paint will be used for marking toddy yielding trees licensed to be tapped in the Mysore State during the official year 1919-20.

T. RAYALU CHETTY,  
For Excise Commissioner.

Notice No. R.N. dated 9th April 1919.

Sealed tenders are invited for the purchase of 5 old Typewriters of this office, the description of which is noted below.—

1. Remington No. 8.

2. Do 10.

3. Yost.

4. L. C. Smith.

5. Smith Premier.